

SHH SERIES
CASEMENT WINDOW

specification

Place of origin: Foshan, Guangdong
Glass configuration: 5mm+9A+5mm+12A+6mm 双银LOW-E
Opening Sash Dimension: width:570mm-750mm height:760mm-2460mm
Hardware configuration: 欧普斯(OPUS)执手、德国格屋窗控系统、HOPPE
Aluminum profile: 6063-T5
Optional accessories: 聚氨酯泡沫、保温隔音棉、暖边条、玻璃压紧器
Optional colors:



Opening method




specification

Place of origin: Foshan, Guangdong
Glass configuration: 5mm+9A+5mm+12A+6mm 双银LOW E
Opening Sash Dimension: width:430mm-750mm height:660mm-1660mm
Hardware configuration: 德国好博执手、德国格屋窗控系统
Aluminum profile: 6063-T5
Optional accessories: 聚氨酯泡沫、保温隔音棉、暖边条、玻璃压紧器
Optional colors:



Opening method




specification

Place of origin: Foshan, Guangdong
Glass configuration: 5mm+27A+5mm
Opening Sash Dimension: width:800mm-1600mm height:1600mm-3200mm
Hardware configuration: 德国丝吉利娅窗控系统
Aluminum profile: 6063-T5
Optional accessories: 隔音隔热棉
Optional colors:



Opening method



*内开内 窗执手



干净利落 藏锋于心



新一代「深舒适」门窗科技
隔音隔热安全美学



2.0超国标型材
适用豪宅别墅高楼层



德国维哈根窗控系统
灵活开关安全在线

specification

Place of origin: Foshan, Guangdong

Glass configuration: 5mm+20A+5mm

Opening Sash Dimension: width:430mm-750mm height:560mm-1660mm

Hardware configuration: iHandle Wehag

Aluminum profile: 6063-T5

Optional accessories: 防护框、限位器、隔音隔热棉、防坠绳

Optional colors:

metallic grey	brown metallic grey	metallic grey brown	brown
metallic grey shiny black	brown shiny black	metallic grey shiny mocha	brown shiny mocha


Opening method



Outward casement

Awning

保温性能提升70% 隔热性能更强劲



新一代「深舒适」门窗科技
保温性提升70%



强效锁温御寒
满足华东及北方地区隔热保温需求



高端性能格外出色
构筑舒适与共理想人居

specification

Place of origin: Foshan, Guangdong

Glass configuration: 6mm+12A+5mm+9A+5mm
5mm+27A+5mm

Opening Sash Dimension: width:570mm-750mm height:770mm-2470mm

Hardware configuration: 德国丝吉利娅无底座执手
德国丝吉利娅窗控系统


Aluminum profile: 6063-T5

Optional accessories: 高透纱网

Optional colors:

metallic grey	metallic grey phantom brown	metallic grey shiny black	metallic grey shiny mocha
brown	brown shiny mocha	brown shiny black	brown phantom brown
grey	grey shiny mocha	grey shiny black	grey phantom brown

Opening method



Tilt & Turn

Inward casement

气密性8级

新国标准: $q_1 \leq 1.5 \text{ m}^3/(\text{m} \cdot \text{h})$, $q_2 \leq 4.5 \text{ m}^3/(\text{m}^2 \cdot \text{h})$
该产品为5000Pa

抗风压性9级

新国标准: $P_3 > 3000 \text{ Pa}$
该产品为5000Pa

保温性能7级


新国标准: $K < 2.5 \text{ W}/(\text{m}^2 \cdot \text{K})$
该产品为1.7W/(m²·K)

水密性6级

新国标准: $P_3 > 250 \text{ Pa}$
该产品为700Pa

隔音性能4级

新国标准: $R_w < 35 \text{ dB}$
该产品为39dB




此产品性能值 新国标性能值



扫一扫
查看检测报告

观海听涛 共鉴人生



*7mm黄金凹线条



三平美学
7mm双凹线条奢享设计



多道豪车级柔性密封
舒享绿色低碳生活



新国标型材、多舱体设计
整窗性能再升级

specification

Place of origin: Foshan, Guangdong

Glass configuration: 5mm+27A+5mm


Opening Sash Dimension: width:570mm-860mm height:770mm-2470mm

Hardware configuration: 德国丝吉利娅内开内倒窗控系统
德国丝吉利娅无底座执手

Aluminum profile: 6063-T5

Optional accessories: 高透网、隔音隔热棉、防暖边条

Opening method



specification

Place of origin: Foshan, Guangdong

Glass configuration: 5mm+20A+5mm


Opening Sash Dimension: width:420mm-750mm height:610mm-1660mm

Hardware configuration: HOPO智能芯片执手、德国格屋窗扇铰链


Aluminum profile: 6063-T5

Optional accessories: 防护框、限位器、隔音隔热棉、防坠绳
高透网、暖边条

Opening method



Optional colors



观海听涛 智享人生



三平美学设计
窗纱齐平内外纯平



电动智慧开关
远程控制风雨感应



HOPO“好博智家”
五金窗控系统

specification

Place of origin: Foshan, Guangdong

Glass configuration: 5mm+12A+5mm+12A+5mm


Opening Sash Dimension: width:650mm-750mm height:800mm-2000mm

Hardware configuration: 好博窗控电动内开内倒窗控系统

Aluminum profile: 6063-T5

Optional accessories:  metallic grey

Opening method



Tilt & Turn



Inward casement



观海听涛 共鉴人生



20cm微通风口设计
视野宽阔安全在线



27A大中空玻璃
舒适隔音刚刚好



加厚窗框设计
大幅提升抗风压系数

specification

Place of origin: Foshan, Guangdong

Glass configuration: 5mm+27A+5mm


Opening Sash Dimension: height:600mm-2400mm

Hardware configuration: OPUS执手、德国格屋窗控系统、无底座执手

Aluminum profile: 6063-T5

Optional accessories: 金刚纱网、隔音隔热条

Optional colors:



Opening method



内平开






国标型材加宽窗框
超强性能倍感安心



加宽尼龙玻纤隔热条
冬暖夏凉绿色环保



超大开启扇封阳台
既是门也是窗



扫一扫
查看检测报告

不显露 自显赫

specification

Place of origin: Foshan, Guangdong

Glass configuration: 5mm+20A+5mm


Opening Sash Dimension: width:570mm-750mm height:770mm-2470mm

Hardware configuration:

Aluminum profile: 6063-T5

Optional accessories: 隔音隔热棉、外挂316金刚纱网
外挂高透网、安全玻璃护栏

Opening method



Tilt & Turn



Inward casement

TY SERIES-IV代 CASEMENT WINDOW

specification

Place of origin: Foshan, Guangdong

Glass configuration: 6mm+12A+5mm+9A+5mm

Opening Sash Dimension: width:570mm-750mm height:770mm-2470mm

Hardware configuration: 德国格屋內开内倒窗控系统

Aluminum profile: 6063-T5

Optional accessories: 安全玻璃护栏、隔音隔热棉
外挂316金刚纱网、外挂高透网

Opening method



Tilt & Turn



Inward casement

Optional colors





不显露 自显赫



20cm微通风口设计
柔性通风安全在线



无多余开启扇
大玻璃极致大视野



窗型设计灵活多样
有固定扇有开启扇

specification

Place of origin: Foshan, Guangdong

Glass configuration: 5mm+20A+5mm


Opening Sash Dimension: 德国格屋窗控系统

Hardware configuration: height:600mm-2400mm

Aluminum profile: 6063-T5

Optional accessories: 隔音隔热棉、外挂316金刚纱网

Optional colors:




Opening method



Inward casement



敢出色·更出众
再次定义极窄门窗



-  **窄边框、大视野**
高层用户也可装大落地窗
-  **三平美学设计**
引起极度舒适
-  **双面美学**
极简线条设计
*鸿景系列三代窗纱一体外开窗
-  **2.4cm极窄玻扇框**
更有1.6cm极窄窗框
*鸿景系列三代窗纱一体外开窗

specification

Place of origin: Foshan, Guangdong

Glass configuration: 5mm+20A+5mm

Opening Sash Dimension: width:440mm-750mm height:560mm-1660mm

Hardware configuration: 派雅专属定制执手、格屋外开铰链

Aluminum profile: 6063-T5

Optional accessories: 防护框、限位器、隔音隔热棉、防坠绳
高透网、暖边条

- Optional colors:**
- | | | | |
|---|---|---|---|
|  |  |  |  |
| metallic grey | brown | metallic grey | metallic grey |
| | metallic grey | brown | shiny black |
| | | | |
|  |  |  | |
| brown | brown | brown | |
| shiny black | shiny mocha | | |

Opening method



specification

Place of origin: Foshan, Guangdong

Glass configuration: 5mm+20A+5mm

Opening Sash Dimension: width:440mm-750mm height:650mm-1650mm

Hardware configuration: 派雅定制窗控系统、丝吉利娅执手

Aluminum profile: 6063-T5


Optional accessories: 金刚纱网、高透网、防护框、限位器
隔音隔热棉、防坠绳

- Optional colors:**
- | | |
|---|---|
|  |  |
| shiny black | shiny mocha |

Opening method



保温节能的理想之窗



-  **加厚窗扇+超宽隔热条**
不惧北方极寒天气
-  **高颜值隐藏式排水结构**
严防风雨渗入室内
-  **设计师执手定制**
契合人体工学, 握感舒适

specification

product name: XR 85

Place of origin: Foshan, Guangdong

Glass configuration: 标配:5mm+20A+5mm 选配:5mm+12A+5mm+12A+5mm


Opening Sash Dimension: width:570mm-750mm height:770mm-2470mm

Hardware configuration: 派雅“小蛮腰”执手、标配丝吉利娅五金

Aluminum profile: 6063-T5

Optional accessories: 隔音隔热棉、格屋、诺托五金

Opening method



specification

product name: XR 90

Place of origin: Foshan, Guangdong

Glass configuration: 标配:5mm+20A+5mm 选配:5mm+12A+5mm+12A+5mm


Opening Sash Dimension: width:570mm-750mm height:770mm-2470mm

Hardware configuration: 派雅“小蛮腰”执手、标配丝吉利娅五金

Aluminum profile: 6063-T5

Optional accessories: 隔音隔热棉、格屋、诺托五金

Opening method



specification

product name: XR Pro 105

Place of origin: Foshan, Guangdong

Glass configuration: 5mm+12A+5mm+12A+5mm


Opening Sash Dimension: width:570mm-750mm height:770mm-2470mm

Hardware configuration: 派雅“小蛮腰”执手、标配丝吉利娅五金

Aluminum profile: 6063-T5

Optional accessories: 隔音隔热棉、格屋、诺托五金


Opening method



Optional colors

interior						
	grey	brown	white	Serene Brown	shiny platinum grey	shiny bronze
exterior						
	grey	brown	white	Serene Brown		

把星空和梦想带回家



三平美学设计
玻纱齐平内外纯平

超宽隔热条
隔热性能更强悍

标配德国窗控系统
结构稳定又安全

specification

Place of origin: Foshan, Guangdong

Glass configuration: 5mm+20A+5mm


Opening Sash Dimension: width:460mm-750mm height:870mm-2490mm

Hardware configuration: 锁闭磁力辅助器、维哈根无底座执手 Wehag维哈根窗控系统

Aluminum profile: 6063-T5

Optional accessories: 高透网、安全玻璃防护栏、隔音隔热棉

Opening method



specification

Place of origin: Foshan, Guangdong

Glass configuration: 5mm+20A+5mm


Opening Sash Dimension: width:410mm-750mm height:590mm-1690mm

Hardware configuration: iHandle抑菌执手
Wehag维哈根窗控系统


Aluminum profile: 6063-T5

Optional accessories: 高透网、可开启防护栏、隔热隔音棉、防坠绳

Opening method



Optional colors



specification

Place of origin: Foshan, Guangdong

Glass configuration: 5mm+27A+5mm


Opening Sash Dimension: width:460mm-750mm height:870mm-2490mm

Hardware configuration: 维哈根无底座执手、Wehag维哈根窗控系统
锁闭磁力辅助器

Aluminum profile: 6063-T5

Optional accessories: 高透网、隔音隔热棉、安全玻璃护栏

Opening method



Tilt & Turn



Inward casement

specification

Place of origin: Foshan, Guangdong

Glass configuration: 5mm+27A+5mm

Opening Sash Dimension: width:410mm-750mm height:590-mm1690mm

Hardware configuration: iHandle抑菌执手、Wehag维哈根窗控系统

Aluminum profile: 6063-T5

Optional accessories: 高透网、可开启防护栏、隔热隔音棉、防坠绳

Opening method



Awning+Outward casement



Outward casement




Awning

Optional colors



窗艺百变 百搭质选



-  适配全屋窗户定制
灵活百搭超实用
-  黄金比例线条设计
视觉效果美观大方
-  全新专利结构
采用隐藏式排水系统

specification

Place of origin: Foshan, Guangdong

Glass configuration: 5mm+20A+5mm

Opening Sash Dimension: width:420mm-750mm height:600mm-1700mm

Hardware configuration: iHandl执手、HOPO执手、好博窗控系统

Aluminum profile: 6063-T5

Optional accessories: 限位器、隔热保温棉、防坠绳


Optional colors:  grey  brown  metallic grey  white

Opening method

-  Outward casement
-  Awning



普惠先锋 舒适万家



- 10+道 密封结构
- 105mm 超宽占墙
- 1.8mm 新国标型材
- 内外 贴心护角
- 组合式 加强中挺
- HOPU HOPU 窗控系统

specification

Place of origin: Foshan, Guangdong

Glass configuration: 标配5mm+20A+5mm
选配5mm+12A+5mm+12A+5mm


Opening Sash Dimension: width:550-750mm height:800-1500mm

Hardware configuration: iHandle执手
好博窗控内开/内开内倒窗控系统

Aluminum profile: 6063-T5

Optional accessories: 晾衣架、电动/手动百叶、高透纱网

Opening method



specification

Place of origin: Foshan, Guangdong

Glass configuration: 5mm+20A+5mm


Opening Sash Dimension: width:550-750mm height:800-1500mm

Hardware configuration: iHandle执手
好博窗控外开窗控系统


Aluminum profile: 6063-T5

Optional accessories: 固定或开启式防护框、不锈钢防护框
晾衣架、电动/手动百叶、高透纱网


Opening method



Optional colors



造一扇好窗 筑万家灯火



- 三平美学设计
- 80/100/110mm 超宽占墙
- 1.8mm 新国标型材
- 超宽多腔体隔热条
- MAX 大玻璃
- 十道密封结构
- 多腔体结构
- 超高承重铰链

specification

Place of origin: Foshan, Guangdong

Glass configuration: 5mm+20A+5mm


Opening Sash Dimension: Inward casement width:380mm-750mm height:580mm-1680mm
Tilt & Turn width:460mm-750mm height:750mm-2480mm

Hardware configuration:iHandle无底座荷叶自洁执手、好博窗控系统

Aluminum profile: 6063-T5

Optional accessories: 晾衣架、隔音隔热棉

Opening method



specification

Place of origin: Foshan, Guangdong

Glass configuration: 5mm+20A+5mm


Opening Sash Dimension: width:430mm-750mm height:510mm-1710mm

Hardware configuration: iHandle抑菌执手、好博窗控系统

Aluminum profile: 6063-T5

Optional accessories: 晾衣架、限位器、隔音隔热棉、防坠绳、防护栏

Opening method



Optional colors

interior	grey	brown	white	black	shiny mocha	shiny platinum grey	shiny grey	shiny bronze
exterior	grey	brown	white	shiny mocha	shiny grey			

specification

Place of origin: Foshan, Guangdong

Glass configuration: 5mm+20A+5mm
(选配5mm+12A+5mm+12A+5mm)


Opening Sash Dimension: width:550mm-750mm height:800mm-1400mm

Hardware configuration: iHandle无底座荷叶自洁执手
好博窗控内开/内开内倒 窗控系统

Aluminum profile: 6063-T5

Optional accessories: 晾衣架、隔音隔热棉

Opening method



Tilt & Turn



Inward casement

specification

Place of origin: Foshan, Guangdong

Glass configuration: 5mm+20A+5mm

Opening Sash Dimension: width:550mm-700mm height:800mm-1400mm

Hardware configuration: iHandle抑菌执手、好博窗控系统

Aluminum profile: 6063-T5

Optional accessories: 固定或开启式防护框、晾衣架
电动/手动百叶、316金刚纱网/高透网

Opening method



Awning+Outward casement



Outward casement



Awning

Optional colors

interior   
grey brown metallic grey

exterior   
grey brown metallic grey

specification

Place of origin: Foshan, Guangdong

Glass configuration: 5mm+20A+5mm
(选配5mm+12A+5mm+12A+5mm)


Opening Sash Dimension: width:550mm-750mm height:800mm-1400mm

Hardware configuration: iHandle无底座荷叶自洁执手
好博窗控内开/内开内倒 窗控系统

Aluminum profile: 6063-T5

Optional accessories: 晾衣架、隔音隔热棉

Opening method 开启方式



Tilt & Turn



Inward casement

specification

Place of origin: Foshan, Guangdong

Glass configuration: 5mm+15A+5mm

Opening Sash Dimension: width:550mm-700mm height:800mm-1400mm

Hardware configuration: iHandle抑菌执手、好博窗控系统

Aluminum profile: 6063-T5

Optional accessories: 可开启晾衣架、开窗限位器
隔音隔热棉、防坠绳、防护栏

Opening method



Awning+Outward casement



Outward casement



Awning

Optional colors

interior   
grey brown metallic grey

exterior   
grey brown metallic grey

给自己一处留白



从中国传统色彩中撷取灵感
研发全新色彩—浅云白



予人明快、平静、治愈、舒适的生活体验



浅云白、浅云绿、浅云蓝、浅云粉、浅云木
五大浅云色执手任选



specification

Place of origin: Foshan, Guangdong

Glass configuration: 5mm+27A+5mm


Opening Sash Dimension: width:460mm-750mm height:870mm-2490mm

Hardware configuration: iHandle执手、维哈根窗控系统

Aluminum profile: 6063-T5

Optional accessories: 高透网、隔音隔热棉、手动/电动百叶

Opening method



Tilt & Turn



Inward casement

specification

Place of origin: Foshan, Guangdong

Glass configuration: 5mm+27A+5mm

Opening Sash Dimension: width:410mm-750mm height:590mm-1690mm

Hardware configuration: iHandle执手、维哈根窗控系统

Aluminum profile: 6063-T5

Optional accessories: 高透网、隔音隔热棉
手动/电动百叶、可开启防护框

Opening method



Awning+Outward casement



Outward casement



Awning

Optional colors



Handle color

iHandle执手
五种颜色任意挑选
(标配)



SLIDING WINDOW

推拉窗

断桥设计 更“懂”隔音控温



断桥设计+PA66隔热条
隔音隔热全面致胜



四道硅化毛条 加强密封
防风防尘不漏风



下轨储水槽加深
排水顺畅无忧

specification

Place of origin: Foshan, Guangdong	Hardware configuration: 派雅专属定制下滑轮、自动锁
Frame thickness: 二轨76mm 三轨带金刚纱网119mm	Aluminum profile: 6063-T5
Glass configuration: 5mm+9A+5mm	Optional accessories: 抗风扶手、高透网、中空格条、防护栏
Opening Sash Dimension: width500mm-1500mm height:560mm-2000mm	

Optional colors



Opening method



敢出色·更出众
再次定义极窄门窗



创新窗扇嵌入边框隐藏式设计
搭配3.5cm开启极窄扇宽



整窗简约大气
可眺望远超常规的超大视觉世界



达3m超宽单扇方案
可自由搭配多扇开启方案


specification

Place of origin: Foshan, Guangdong	Hardware configuration: 专属定制碰锁、滑轮五金
Glass configuration: 5mm+19A+5mm	Aluminum profile: 6063-T5
Opening Sash Dimension: width:540mm-3000mm height:400mm-1600mm	
Optional accessories: 高透网、加强扶手、晾衣架	

Optional colors



Opening method



push and pull from side to side

放心入 开启好生活



- 

勾企胶条挤压密封
防止透风漏风
- 

下轨加深水槽设计
提升储水空间
- 

超宽扶手加装
既可置物又可抗风

specification

Place of origin: Foshan, Guangdong

Frame thickness: 二轨76mm 三轨带金刚纱网119mm

Glass configuration: 5mm+9A+5mm

Opening Sash Dimension: width500mm-1500mm height:560mm-2000mm

Hardware configuration: 派雅专属定制自动锁、下滑轮

Aluminum profile: 6063-T5

Optional accessories: 抗风扶手、高透网、中空格条、防护栏

Optional colors:  
brown grey

Opening method



简雅设计 又潮又精致



- 

创新中窄边框
空间更大世界更广
- 

超宽扶手加装
可置物可抗风
- 

勾企胶条挤压密封
防止透风漏风

specification

Place of origin: Foshan, Guangdong

Frame thickness: 二轨87mm 三轨带金刚带纱网121mm

Glass configuration: 5mm+12A+5mm

Opening Sash Dimension: width:500mm-1400mm height:530mm-2000mm

Hardware configuration: 派雅专属定制自动锁、下滑轮

Aluminum profile: 6063-T5

Optional accessories: 抗风扶手、高透网、中空格条、防护栏

Optional colors:    
grey brown metallic grey shiny black

Opening method





门窗是建筑的眼睛
建筑因门窗有了真正的灵魂
Doors and windows are the eyes of architecture
Architecture has a true soul due to its doors and windows

INNOVATION

Opening method
创新开启方式

舒享豪华版观景阳台



- 

高科技智能操作
阳台封或不封随意切换
- 

型材壁厚高达6.0
重新定义阳台阔境视野
- 

全方位人性化设计
你的生活节奏你主导

specification

Place of origin: Foshan, Guangdong

Glass configuration: 12+1.52夹胶+12超白玻璃


Hardware configuration: 德国敦科品牌电机、光电防夹感应

Rising speed: 以约0.6米/分钟匀速升降

Optional accessories: 防风卷帘、雨水感应、远程控制(第三方软件)

Optional colors:  metallic grey  brown  shiny black

Opening method



Lift window

舒享豪华版观景阳台



- 

高科技智能操作
阳台封或不封随意切换
- 

型材壁厚高达6.0
重新定义阳台阔境视野
- 

全方位人性化设计
你的生活节奏你主导

specification

Place of origin: Foshan, Guangdong

Glass configuration: width1-4m:10+2.28夹胶+10玻璃
width4-5m:12+3.04夹胶+12玻璃


Hardware configuration: 德国敦科品牌电机、光电防夹感应

Rising speed: 以约1.2米/分钟匀速升降

Optional accessories: 防风卷帘、雨水感应、远程控制(第三方软件)

Optional colors:  metallic grey  brown  shiny black

Opening method



Lift window

智慧体验 开大视界



 重型电动提升系统
多种智能操控方式

 六重安全防护
及时感知 放心开启

 电动卷纱设计
不占室内空间

specification

Place of origin: Foshan, Guangdong

Glass configuration: 8mm+16A+8mm中空玻璃(轻型)
10mm+2.28PVB+10mm(重型)

Hardware configuration: 好博智控电机、遥控器、控制面板、雨水感应
防夹手感应、遮阳防风卷帘、呼吸灯


Rising speed: 静音模式65秒, 应急模式15秒, 活动声音<40分贝

Size range: width:1500-4800mm height:1500-2600mm(轻型)
width:1500-6000mm height:1500-2600mm(重型)


Optional accessories: AI语音/远程控制、备用电源(好博智控)

Optional colors: 
metallic grey

Opening method



豪华头等舱 全景大视界



specification

- Place of origin : Foshan, Guangdong
- Glass configuration: 5mm+20A+5mm
5mm+12A+5mm+12A+5mm
- Opening Sash Dimension : width:500mm-1200mm
height:1200mm-2600mm(100KG以内)
- Hardware configuration : STORO五金、iHandle执手
- Optional accessories : 316金刚纱网、高透网、玻璃护栏、隔音保温棉
- Optional colors:
- | | | | |
|----------|-------------|-------------|---------------------|
| exterior | grey | brown | metallic grey |
| interior | grey | brown | metallic grey |
| | shiny black | shiny mocha | shiny platinum grey |


Opening method



Translating squeeze window

- 基于飞机舱门 豪车车门的设计灵感
- 活动扇特有的双向位移 不仅可以平常推拉
- 还能垂直挤压5mm 带来媲美平开窗的绝佳密封系统


驾驭3重开启 不占室内空间



specification

- Place of origin : Foshan, Guangdong
- Glass configuration: 5mm+27A+5mm
5mm+12A+5mm+12A+5mm
- Opening Sash Dimension : width:560mm-930mm
height : 1200mm-2600mm(内倒平移)
高宽比:1.5:1 (重量限制60kg)
- Hardware configuration : 国家专利双轮联动技术系统五金
德国好博执手
- Optional accessories : 高透网纱窗、隔音保温棉
- Optional colors: grey brown metallic grey

Opening method



- 平移、内倒、纱网平开
多种开启方式结合
- 不占据生活空间
解决空间应用痛点
- 40mm超宽隔热条
极致保温节能

一体折叠 全景视野



- 

365°全景开启
完美解决封阳台后通风不足难题
- 

独创扇中扇结构
“内开内倒”开启扇可分配到任意主扇上
- 

窗扇间两道6mm密封胶条
媲美平开窗隔音隔热性能

specification

Place of origin : Foshan, Guangdong

Glass configuration: 5mm+20A+5mm

Opening Sash Dimension : width:450mm-800mm height:900mm-1600mm


Aluminum profile: 6063-T5

Hardware configuration : 德国丝吉利娅五金、德国好博品牌执手

Optional accessories : 内开内倒扇(带高透纱网)、超宽窗户加强扶手

Optional colors:  brown  grey

Opening method



SLIDING DOOR

推拉门

感官无界 向心而悦



 中窄边框重型门
别墅/大平层/海景房

 超国标抗风压型材
多腔体结构,可抵御台风天气

 进口德国格屋提升系统
可固定门窗不摇晃,提升密封性

LF SERIES- II 代、III 代

SLIDING DOOR

specification

product name: LF-II SERIES

Place of origin: Foshan, Guangdong

Door panel width: 76mm

Glass configuration: 5mm+15A+5mm

Opening Sash Dimension: width:610mm-2500mm height:1200mm-3000mm

Hardware configuration: 雅捷2号拉手+一字锁
(选配德国好博提升拉手德国格屋提升门控系统)

Aluminum profile: 6063-T5

Optional accessories: 大理石铜条下滑、316金刚网、高透网

specification

product name: LF-III SERIES (中窄)

Place of origin: Foshan, Guangdong

Door panel width: 76mm (中窄边36mm)

Glass configuration: 5mm+15A+5mm

Opening Sash Dimension: width:640mm-2500mm height:1200mm-3000mm

Hardware configuration: 雅捷2号拉手+一字锁
(选配德国好博提升拉手德国格屋提升门控系统)

Aluminum profile: 6063-T5

Optional accessories: 大理石铜条下滑、316金刚网、高透网

Optional colors



specification

product name:LF-III SERIES

Place of origin: Foshan, Guangdong

Door panel width: 76mm

Glass configuration: 5mm+20A+5mm

Opening Sash Dimension: width:610mm-3000mm height:1200mm-3500mm

Hardware configuration: 雅捷2号拉手+一字锁
(选配德国好博提升拉手德国格屋提升门控系统)

Aluminum profile: 6063-T5

Optional accessories: 大理石铜条下滑、316金刚网、高透网

specification

product name:LF-IV SERIES (中窄)

Place of origin: Foshan, Guangdong

Door panel width: 76mm (中窄边36mm)

Glass configuration: 5mm+20A+5mm


Opening Sash Dimension: width:640mm-2500mm height:1200mm-3500mm

Hardware configuration: 雅捷2号拉手+一字锁
(选配德国好博提升拉手德国格屋提升门控系统)

Aluminum profile: 6063-T5

Optional accessories: 大理石铜条下滑、316金刚网、高透网

Optional colors



边框更窄 性能更强





24.6mm极窄重型门
视野更宽性能更强



超高承重滑轮
有效抵御强台风高压



适用室内室外
应用场景多样

specification

Place of origin: Foshan, Guangdong

Glass configuration: 5mm+18A+5mm

Opening Sash Dimension: width:690mm-1500mm height:1500mm-2800mm

Hardware configuration: 派雅专属定制推拉门控系统

Aluminum profile: 6063-T5

Optional accessories: 大理石铜条下滑、平下滑、挡水下滑

Optional colors



specification

product name:KX-II SERIES

Place of origin: Foshan, Guangdong

Glass configuration: 4mm+20A+4mm

Opening Sash Dimension: width:500mm-1500mm height:1200mm-2800mm

Hardware configuration: 雅典2号拉手+一字锁

Aluminum profile: 6063-T5

Optional accessories: 光能电动百叶、手动百叶、指纹锁

Optional colors



specification

product name:KX-III SERIES

Place of origin: Foshan, Guangdong

Glass configuration: 4mm+20A+4mm

Opening Sash Dimension: width:500mm-1500mm height:1200mm-2800mm

Hardware configuration: 定制雅典4号拉手+雅典4号一字锁
HOPO传动系统、门扇防摆轮

Aluminum profile: 6063-T5

Optional accessories: 光能电动百叶、手动百叶、指纹锁

Optional colors



平面简约 稳重大气



极简外观设计
搭配多样风格



纳米密封胶条
气密水密再升级



双重滑轮结构
防摆动推拉顺畅

敢出色·更出众 再次定义极窄门窗



specification

- Place of origin: Foshan, Guangdong
- Glass configuration: 8mm+27A+8mm
- Opening Sash Dimension: width:1100mm-2400mm height:1500mm-3000mm
- Hardware configuration: 极窄立面条形锁、双排自平衡滑轮
- Aluminum profile: 6063-T5
- Optional colors:

shiny black

shiny mocha



创新门扇嵌入门框式结构
隐藏式设计, 门扇框交叠重合



真正实现无框极简视觉感
仅2.2cm极窄勾企宽度



超窄
立面可视宽度

繁中极简 雅致有道



 钻石切面拉手
美观精致耐看

 派雅独有幻影啡
新中式风首选

 门扇框凹槽设计
抗风压性能优异

specification

product name:YY-I SERIES

Place of origin: Foshan, Guangdong

Glass configuration: 5mm+20A+5mm

Opening Sash Dimension: width:510mm-1500mm height:1200-2800mm

Hardware configuration: 雅典3号拉手锁+一字锁、HOPO下滑轮

Aluminum profile: 6063-T5

Optional accessories: 铜条镶嵌大理石/黑丝铝条镶嵌大理石
平下轨(可选镶嵌)、防水下轨(可选镶嵌)
高边防水下轨(可选镶嵌)

specification

product name:YY-II SERIES

Place of origin: Foshan, Guangdong

Glass configuration: 5mm+20A+5mm

Opening Sash Dimension: width:510mm-1500mm height:1200-2800mm

Hardware configuration: 雅典3号拉手锁+一字锁、HOPO下滑轮

Aluminum profile: 6063-T5

Optional accessories: 可拆卸高边防水轨

Optional colors





造一扇好门 筑万家灯火



specification

- Place of origin:** Foshan, Guangdong
- Glass configuration:** 标配8mm玻璃
选配4mm+0.76PVB+4mm夹胶玻璃
- Opening Sash Dimension:** width:420mm-1100mm height:600-2800mm
- Hardware configuration:** 派雅定制拉手
- Aluminum profile:** 6063-T5
- Optional accessories:** 双向推拉缓冲器、防摆轮
- Installation method:** 上滑平顶式、上滑入墙式
- Optional colors:** shiny black shiny mocha shiny platinum grey

- 

隐至简
上轨/门套全隐藏
- 

窄边框
边框窄至10mm
- 

扇齐平
多扇齐平视觉零误差
- 

稳推拉
防摆滑轮持久稳固
- 

防摆动
超强承重不摇晃
- 

多组合
N扇联动由你定制
- 

轻启动
开合省力贴心缓冲
- 

无地轨
日常清洁无阻碍

简奢魅力 独具品质



 50mm极窄边框
还原空间本色

 门框门扇咬扣结构
不畏风雨守护安全

 引领性能与价值
尊享舒适家居生活

specification

product name:YD-I SERIES
Place of origin: Foshan, Guangdong
Glass configuration: 4mm+12A+4mm
Opening Sash Dimension: width520mm-1250mm height:1200mm-2500mm
Hardware configuration: 雅捷一号拉手
Aluminum profile: 6063-T5
Optional accessories: 铜条镶嵌大理石/黑色铝条镶嵌大理石
平下轨(可选镶嵌)、防水下轨(可选镶嵌)

specification

product name:YD-II SERIES
Place of origin: Foshan, Guangdong
Glass configuration: 4mm+12A+4mm
Opening Sash Dimension: width520mm-1250mm height:1200mm-2500mm
Hardware configuration: 雅捷一号拉手
Aluminum profile: 6063-T5
Optional accessories: 高边挡水轨、可拆卸高边挡水轨

Optional colors

									
phantom brown (仅二轨可选)	Tech Walnut (仅二轨可选)	Brushed Grey (仅二轨可选)	shiny black	shiny mocha	shiny platinum grey	metallic grey	white	brown	grey

窄边框 大世界



23mm窄边框
把极简带回家



135度斜边拉手
派雅专属人体学设计



10万次承重推拉测试
最高承重可达120kg

specification

Place of origin: Foshan, Guangdong

Glass configuration: 4mm+12A+4mm

Opening Sash Dimension: width:470mm-1250mm :height1200mm-2600mm

Hardware configuration: 派雅专属定制拉手

Aluminum profile: 6063-T5

Optional accessories: 铜条/黑色铝条下滑、镶嵌平下滑

Optional colors:   
shiny platinum grey shiny mocha shiny black



窄边框 大世界



 5mm窄边框
近似隐形设计

 标配阻尼缓冲系统
安静关闭不夹手

 极简风金属拉手
美观大气易推拉

specification

Place of origin: Foshan, Guangdong
Glass configuration: 8mm单玻
Opening Sash Dimension: width:430mm-1000mm(双向缓冲门扇最小宽度700mm)
height:1200mm-2600mm
Hardware configuration: 派雅专属定制拉手
Aluminum profile: 6063-T5
Optional accessories: 铜条/黑色铝条下滑、镶嵌平下滑
Optional colors:  shiny platinum grey  shiny mocha  shiny black

窄边框 大世界



 关闭无噪音
轻柔不夹手

 联动设计
一次可开启双倍空间

 可选配转角门扇料
打造独立空间

specification

Place of origin: Foshan, Guangdong
Glass configuration: 6mm单玻
Opening Sash Dimension: width:690mm-1100mm height:600mm-2600mm
Hardware configuration: 派雅专属定制拉手
Aluminum profile: 6063-T5
Optional accessories: 铜条/黑色铝条下滑、镶嵌平下滑
Optional colors:  shiny platinum grey  shiny mocha  shiny black

窄边框 大世界



 窄边框设计
空间视野宽敞

 无轨道设计
扫地机器人轻松打扫

 钻石切割斜边拉手
美观大气又省力

specification

product name:JA-I SERIES(单玻)
Place of origin: Foshan, Guangdong
Glass configuration: 6mm单玻 (选配8mm单玻/夹胶玻璃)
Opening Sash Dimension: width:460mm-1100mm height:1200mm-2600mm
Hardware configuration: 派雅专属定制拉手
Aluminum profile: 6063-T5
Optional accessories: 单轨、双轨、三轨、四轨、五轨、六轨

specification

product name:JA-I SERIES(中空)
Place of origin: Foshan, Guangdong
Glass configuration: 4mm+12A+4mm
Opening Sash Dimension: width:460mm-1100mm height:1200mm-2600mm
Hardware configuration: 派雅专属定制拉手
Aluminum profile: 6063-T5
Optional accessories: 单轨、两轨

Optional colors

 shiny platinum grey
 shiny mocha
 shiny black

给自己一处留白



联动设计
节省空间



承重高达150kg
推拉无噪音不夹手



清洁无死角
扫地机器人轻松拿捏

specification

Place of origin: Foshan, Guangdong

Glass configuration: 中空款:4mm+12A+4mm (选配夹丝玻璃)
单玻款:6mm单玻 (选配8mm/夹丝玻璃)

Opening Sash Dimension: width:460mm-1100mm height:1200mm-2600mm

Hardware configuration: 欧博凯带锁拉手、无立柱转角推拉门

Aluminum profile: 6063-T5

Optional colors:



SWING DOOR

平开门

断桥平开 定制样式不止一种



断桥结构
隔音隔热更舒适

优质表面处理工艺
户外几十年不褪色

可单双扇可门窗一体设计
适用厨房阳台

specification

Place of origin: Foshan, Guangdong
Glass configuration: 5mm+12A+5mm
Opening Sash Dimension: width:600mm-1100mm height:1200mm-2800mm
Hardware configuration: HOPO外开门控系统
Aluminum profile: 6063-T5
Optional accessories: 德国好博执手、银色铝条、暖边条
Optional colors: 

断桥平开 定制样式不止一种




门纱一体
通风防蚊两不误

断桥结构
隔音隔热更舒适

可单双扇可门窗一体设计
适用厨房阳台

specification

Place of origin: Foshan, Guangdong
Glass configuration: 5mm+20A+5mm
Opening Sash Dimension: width:600mm-1100mm height:1200mm-2800mm
Hardware configuration: HOPO外开门控系统
Aluminum profile: 6063-T5
Optional accessories: 德国好博执手
Optional colors: 

造一扇好门 筑万家灯火



- 

隐框设计、25mm窄边框
45°斜边门框、隐藏式合页
- 


磁吸静音执手
豪车级密封胶条
- 

艺术级玻璃
多样选择, 舒适体验

specification

Place of origin: Foshan, Guangdong
Glass configuration: 8mm单玻
选配4mm+0.76PVB+4mm
Opening Sash Dimension: width:600mm-950mm height:1200mm-2600mm
Hardware configuration: 304不锈钢合页、派雅专属定制执手
Aluminum profile: 6063-T5
Optional accessories: LOW-E玻璃、镀膜玻璃、夹胶玻璃、长虹玻璃
银色铝条、暖边条

Optional colors



方寸之间 别居一格



- 

以窄为美
9mm方格设计
- 


加厚304不锈钢合页
承重性强持久耐用
- 

豪车级柔性密封胶条
阻隔声音和异味

specification

Place of origin: Foshan, Guangdong
Glass configuration: 4mm+12A+4mm
Opening Sash Dimension: width:600mm-1000mm height:1200mm-2600mm
Hardware configuration: 雅迪专用锁、304不锈钢合页
Aluminum profile: 6063-T5

Optional colors





纯粹的空间 纯粹做自己



- 

标配高精度静音执手
豪车级密封胶条
- 

开合安静
闭门隔音, 不打扰家人

specification

Place of origin: Foshan, Guangdong
Glass configuration: 4mm+12A+4mm
双层钢化玻璃12X9装饰隔条
Opening Sash Dimension: width:600mm-950mm height:1200mm-2600mm
Hardware configuration: π系列专用静音执手锁、304不锈钢合页
Aluminum profile: 6063-T5
Optional colors: 



窄边框 大世界



三元乙丙密封胶条
室内水汽不易串门



304不锈钢合页
美观不易变形

specification

Place of origin: Foshan, Guangdong
Glass configuration: 8mm无指纹蒙砂灰玻
Opening Sash Dimension: width:600mm-950mm height:1200mm-2600mm
Hardware configuration: 简爱专用锁、304不锈钢合页
Aluminum profile: 6063-T5
Optional colors: 
metallic brown anodized grey shiny black shiny platinum grey

窄边框 大世界



窄框中空格条设计
美观大方易清洁




三元乙丙密封胶条
室内水汽不易串门



304不锈钢合页
美观不易变形

specification

Place of origin: Foshan, Guangdong
Glass configuration: 4mm+12A+4mm
Opening Sash Dimension: width:600mm-950mm height:1200mm-2600mm
Hardware configuration: 简爱专用锁、304不锈钢合页
Aluminum profile: 6063-T5
Optional colors: 
metallic brown anodized grey shiny black shiny platinum grey
shiny mocha



窄边框 大世界



- 

极简隐框设计
美观大气超百搭
- 

豪华级密封胶条
减免沐浴产生的噪音
- 

多款艺术级玻璃
适配不同家居风格

specification

Place of origin: Foshan, Guangdong

Glass configuration: 8mm单玻(选配4mm+0.76PVB+4mm)

Opening Sash Dimension: width:600mm-950mm height:1200mm-2600mm

Hardware configuration: 304不锈钢合页、派雅专属定制执手

Aluminum profile: 6063-T5

Optional colors:

			
metallic brown	anodized grey	shiny black	shiny platinum grey
			
shiny mocha			



FLOOR SPRING / FOLDING
DOOR
地弹簧门/折叠门

霸气外露 最佳“名片”



德国格屋
地弹簧门系统

派雅门窗
专属定制3D拉手

大宅、商用场合等
大堂首选

specification

Place of origin: Foshan, Guangdong
Glass configuration: 5mm+20A+5mm
Opening Sash Dimension: width:600mm-1200mm height:1200mm-3000mm
Hardware configuration: 德国格屋地弹门控系统、派雅定制拉手
Aluminum profile: 6063-T5
Optional accessories: 人脸识别、指纹、密码智能系统、地锁

Optional colors

Serene Brown

折叠自如 锋芒自露



灵活划分空间
广泛应用各场所

搭载手动电动百叶
可语音控制

经典设计
大气百搭

specification

Place of origin: Foshan, Guangdong
Glass configuration: 4mm+12A+4mm
Opening Sash Dimension: width:600mm-800mm height:1500mm-2500mm
Hardware configuration: 欧派克门控系统
Aluminum profile: 6063-T5
Optional accessories: 手动百叶、电动百叶

Optional colors

grey white